#### NORTH OGDEN IRRIGATION COMPANY NOTICE OF INTEREST OF CANAL PROPERTY EASEMENT

PLEASE TAKE NOTICE that the North Ogden Irrigation Company, a Utah corporation (the "Company"), claims prescriptive easement rights to certain real property in Weber County, Utah, for ownership, use, operation and maintenance of a canal, roadway and related water delivery facilities. Said canal property has been in use for the delivery of water for far in excess of the 20-year prescriptive use period. Said canal has been continuously operated and maintained in its present location since the year 1875. The description of said canal is as follows:

### SEE DESCRIPTIONS

In certain areas the Company has acquired fee title to the North Ogden Canal property or acquired easements by deed or grant. Along the remainder of said canal alignment, the Company claims prescriptive easement rights that were acquired by continuous uninterrupted adverse use. The prescriptive easement for the North Ogden Canal and adjacent roadway encompasses the entire easement as

The Company claims through prescriptive use the exclusive right to the unobstructed use and occupation of the described easement. FENCES ARE NOT PERMITTED WITHIN THE NORTH OGDEN CANAL PROPERTY. Permanent or temporary structures (other than fences) that encroach within the prescriptive easement property may be permitted by written agreement with the Company where the same will not unreasonably interfere with the safe use, operation and maintenance of the North Ogden Canal.

2704.76

23

NORTH OGDEN IRRIGATION COMPANY

A part of the Northeast Quarter of Section 23 and part of the Southeast Quarter of Section 14, Township 7 North, Range 2 West, Salt Lake Base and Meridian, and being described as follows:

This description describes the centerline of the existing canal. The typical minimum necessary distance to maintain and operate the canal is 7 feet easterly from the easterly top of the canal bank and 20 feet westerly from the westerly top of the canal bank.

Beginning at a point on the Section line said point being S 00°50'12" W 855.74 feet from the Northeast Corner of said Section 23 and following the center line of the North Ogden Canal the following 9 courses:

N 43°37'46" W 444.71 feet; thence N 61°16'54" W 127.66 feet; thence N 62°10'25" W 193.40 feet; thence N 34°12'30" W 176.81 feet; thence

N 45°20'31" W 216.51 feet; thence N 49°36'03" W 149.20 feet to the Section line; thence

N 49°36'03" W 106.46 feet; thence N 60°19'58" W 62.94 feet; thence

S 74°04'33" W 55.21 feet to the east boundary line of the Union Pacific Railroad Right-Of-Way

#### Description B:

Description A:

A part of part of the Northwest Quarter, Southwest Quarter, and Southeast Quarter of Section 24, Township 7 North, Range 2 West, Salt Lake Base and Meridian, as shown on State of Utah State Road Commission plans for project NS-561(1) and being described as follows:

Beginning at a point on the Section line and on the Southwesterly Right-Of-Way line of Pleasant View Drive said point being S 00°50'12" W 834.21 feet from the Northwest Corner of said Section 24 thence as follows:

2139.91 feet along the Southwesterly Right-Of-Way line of S 43°29'42" E Pleasant View Drive to a curve to the Left; thence 723.17 feet along said curve and the Southwesterly Southeasterly Right-Of-Way line of Pleasant View Drive (R=1949.86', T=365.79', CH=719.03, CHB=S 54°07'12" E); thence S 64°44'42" E 1047.61 feet along the Southerly Right-Of-Way line of

Pleasant View Drive to a curve to the Right; thence Southeasterly 853.32 feet along said curve and the Southwesterly Right-Of-Way line of Pleasant View Drive (R=5689.58', T=427.46', CH=852.52', CHB=S 60°26'55" E); thence

S 33°50'53" W 35.00 feet to a curve to the Left; thence 848.07 feet along said curve and the Southwesterly Right-Of-Way line of Pleasant View Drive (R=5654.58', T=424.83', CH=847.28', CHB=N 60°26'55" W); thence N 64°44'42" W 414.30 feet; thence

N 25°15'18" E 10.00 feet; thence N 64°44'42" W 55.00 feet; thence N 25°15'18" E 4.00 feet; thence N 64°44'42" W 60.00 feet; thence S 25°15'18" W 14.00 feet; thence N 64°44'42" W 518.31 feet to a curve to the Right; thence Northwesterly 595.17 feet along said curve and the Southwesterly Right-Of-Way line of Pleasant View Drive (R=1984.86',

T=299.84', CH=592.95', CHB=N 56°09'08" W); thence N 42°26'07" E 10.00 feet to a curve to the Right; thence Northwesterly 130.29 feet along said curve and the Southwesterly Right-Of-Way line of Pleasant View Drive (R=1974.86', T=65.17', CH=130.26', CHB=N 45°40'29" W); thence S 46°12'55" W 10.00 feet to a curve to the Right; thence

10.03 feet along said curve and the Southwesterly Right-Of-Way line of Pleasant View Drive (R=1984.86', T=5.01', CH=10.03', CHB=N 43°38'24" W); thence N 43°29'42" W 1913.35 feet; thence 10.00 feet; thence

N 46°30'18" E N 43°29'42" W 80.00 feet; thence S 46°30'18" W 10.00 feet; thence N 43°29'42" W

110.74 feet to the Section line; thence N 00°50'12" E 50.08 feet along the Section line to the Point of Beginning. Description C:

A part of the Southeast Quarter of Section 24, Township 7 North, Range 2 West, Salt Lake Base and Meridian, and being described as follows:

This description describes the centerline of the existing canal. The typical minimum necessary distance to maintain and operate the canal is 7 feet easterly from the easterly top of the canal bank and 20 feet westerly from the westerly top of the canal bank.

Beginning at a point on the northwesterly boundary line of Country Fields Phase No. 1 said point being N 00°48'35" E 346.95 feet and West 354.46 feet from the Southeast Corner of said Section 24 and following the center line of the North Ogden Canal the following 7 courses:

N 37°56'28" W 95.41 feet; thence 126.34 feet; thence N 44°41'02" W 207.61 feet; thence N 33°19'00" W N 27°27'00" W 101.43 feet; thence N 47°09'44" W 101.90 feet; thence 405.36 feet to the southeasterly boundary line of Lot 1 N 36°34'11" W

Westview Subdivision Phase 1

118.30 feet; thence

### Description D:

N 28°37'50" W

A part of the Northeast Quarter of Section 25 and part of the Southeast Quarter of Section 24, Township 7 North, Range 2 West, Salt Lake Base and Meridian, and being described as follows:

This description describes the centerline of the existing canal. The typical minimum necessary distance to maintain and operate the canal is 7 feet easterly from the easterly top of the canal bank and 20 feet westerly from the westerly top of the canal bank.

Beginning at a point on the Section line said point being S 00°42'39" W 193.19 feet from the Southeast Corner of said Section 24 and following the center line of the North Ogden Canal the following 3 courses:

N 48°06'17" W 64.89 feet; thence N 42°29'52" W 88.14 feet; thence N 36°10'21" W 159.89 feet to the southeasterly boundary line of Country Fields Phase No. 1

#### Description E:

A part of the Northwest Quarter of Section 30, Township 7 North, Range 1 West, Salt Lake Base and Meridian, and being described as follows:

This description describes the centerline of the existing canal. The typical minimum necessary distance to maintain and operate the canal is 7 feet easterly from the easterly top of the canal bank and 20 feet westerly from the westerly top of the canal bank.

Beginning at a point on the Section line said point being S 00°42'39" W 193.19 feet from the Northwest Corner of said Section 30 and following the center line of the North Ogden Canal the following 15 courses:

S 48°06'17" E 252.12 feet; thence S 48°21'05" E 71.25 feet; thence 150.25 feet; thence S 52°13'38" E 497.31 feet; thence S 58°00'40" E S 49°32'33" E 73.35 feet; thence S 54°59'25" E 100.97 feet; thence 103.76 feet; thence S 73°26'09" E S 76°36'49" E 88.53 feet; thence S 83°07'06" E 163.57 feet: thence N 79°52'13" E 253.94 feet; thence

S 88°44'55" E 114.93 feet; thence 204.05 feet; thence S 80°27'10" E 77.39 feet; thence S 70°41'46" E S 61°34'54" E 53.47 feet; thence

S 59°27'31" E 222.11 feet to the northwesterly boundary line of Fox Hollow at Pleasant View - Phase 1

Description F:

A part of the Northeast Quarter of Section 30, Township 7 North, Range 1 West, Salt Lake Base and Meridian, and being described as follows:

This description describes the centerline of the existing canal. The typical minimum necessary distance to maintain and operate the canal is 7 feet easterly from the easterly top of the canal bank and 20 feet westerly from the westerly top of the canal bank.

Beginning at a point on the northwesterly boundary line of Shady Springs Estates said point being N 89°31'15" W 1040.87 feet and North 785.80 feet from the east quarter Corner of said Section 30 and following the center line of the North Ogden Canal the following 5 courses:

N 71°51'41" W 471.38 feet; thence N 69°51'28" W 349.07 feet; thence N 62°01'46" W 129.27 feet; thence 109.21 feet; thence N 55°32'04" W 78.80 feet to the southeasterly boundary line Mountain N 63°37'39" W Meadow Estates Subdivision Plat 2.

## **Description G:**

A part of the Northeast Quarter of Section 30, Township 7 North, Range 1 West, Salt Lake Base and Meridian, and being described as follows:

This description describes the centerline of the existing canal. The typical minimum necessary distance to maintain and operate the canal is 7 feet easterly from the easterly top of the canal bank and 20 feet westerly from the westerly top of the canal bank.

Beginning at a point on the northwesterly boundary line of Country Fields Phase No. 1 said point being S 00°58'26" W 2075.58 feet and West 385.22 feet from the Northeast Corner of said Section 30 and following the center line of the North Ogden Canal the following 3 courses:

S 76°10'20" W 114.15 feet; thence 104.69 feet; thence S 84°23'24" W 65.09 feet to the southeasterly boundary line of Shady S 75°53'25" W **Springs Estates** 

### **Description H:**

A part of the Northeast Quarter of Section 30, Township 7 North, Range 1 West, Salt Lake Base and Meridian, as shown on State of Utah State Road Commission plans for project NS-561(1) and being described as follows:

Beginning at a point on the Section line and on the Southwesterly Right-Of-Way line of Pleasant View Drive said point being S 00°58'26" W 2372.42 feet from the Northeast Corner of said Section 30 thence as follows:

45.09 feet along the section line: thence S 00°58'26" W N 49°56'30" W 528.18 feet; thence N 75°00'00" E 42.70 feet to the Southwesterly Right-Of-Way line of Pleasant View Drive; thence

475.30 feet along Southwesterly Right-Of-Way line of S 49°56'30" E Pleasant View Drive to the Point of Beginning.

Narrative:

Basis of bearing is based on the Weber County bearing sheets, section corners found for this survey are West Quarter, and the Southwest Corner of Section 24, Township 7 North, Range 2 West and the South Quarter, and the Northeast Corner of Section 30, Township 7 North, Range 1 West. This survey was requested by the North Ogden Canal Company to locate and map their canal, all other parcels are shown for reference only.

# SURVEYOR'S CERTIFICATE

I, David D. Strong, do hereby certify that I am a Professional Land Surveyor and that I hold License No. 5331568 in accordance with Title 58, Chapter 22 of the Professional Engineers and Land Surveyors Licensing Act, have completed a survey of the property shown and described hereon and in accordance with Section 17-23-17. No survey was performed on adjoining parcels they are shown for reference only.

CAD FILE: NORTH OGDEN CANAL A PROJ.#: PM\PROJECT #5507060 DRAWN BY: DDS/JDM ESIGN BY:

NORTH

NORTH OGDEN CANAL OGDEN IRRIGATION COMPANY

Engineers •Surveyors •Planners

RS, Inc West 84037

J-U-B ENGINEEF 466 North 900 V Kaysville, Utah

CHECKED BY: DDS SCALE OF SHEET HOR SCALE: AS NOTED VER SCALE: AS NOTED LAST UPDATED: 5/7/2012

SHEET

COUNTY RECORDER ENTRY NO. 2576499 FEE PAID \$210.00 PILED FOR RECORD, AND PECOPOED 15-MAY-2012 .AT IN 11:42 PM BOOK 12 OP OFFICIAL RECORDS, PAGES 53-89 PECOPDED FOR: NO DECEN CANAL EPNEST D. POWLEY COUNTY PECOPDER Br: Leann Kilts

DEPUTY



